4 Attorney's Docket No.:10559-299001/P9310 st 13, 2004 on dated

Serial No. 09/704,364 Amendment dated August 13, 2004 Reply to Office Action dated May 13, 2004

Amendment to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in the application:

(Original) A method, comprising:

receiving a specification for translating a network policy from a first schema to a second, different schema;

translating the network policy into the second different schema based on the specification; and

configuring a network system based on the translated policy.

- 2. (Previously presented) The method of claim 1 wherein the network policy is represented in Markup Language which uses tags.
- 3. (Original) The method of claim 1 wherein the specification is received in a file from a policy server.
- 4. (Original) The method of claim 3 wherein the file also contains the policy.

Attorney's Docket No.:10559-299001/P9310

5. (Original) An article comprising a machine-readable medium which stores machine-executable instructions for checking events performed by a device, the instructions causing a machine to:

receive a specification for translating a policy from a first schema to a second different schema;

translate the network policy into the second different schema based on the specification; and

configure a network system based on the translated policy.

- 6. (Original) The article of claim 5 wherein the network policy is represented in eXtensible Markup Language and the specification is represented in eXtensible Stylesheet Language.
- 7. (Original) The article of claim 5 wherein the specification is received in a file from a policy server.
- 8. (Original) The article of claim 5 wherein the file also contains the policy.

Attorney's Docket No.:10559-299001/P9310

- 9. (Original) An apparatus comprising:
- a memory which stores computer readable instructions; and
- a processor which executes the computer readable instructions to:

receive a specification for translating a policy from a first schema to a second, different schema;

translate the network policy into the second different schema based on the specification; and configure a network system based on the translated policy.

- 10. (Original) The apparatus of claim 9 wherein the network policy is represented in eXtensible Markup Language and the specification is represented in eXtensible Stylesheet Language.
- 11. (Original) The apparatus of claim 9 wherein the specification is received in a file from a policy server.
- 12. (Original) The apparatus of claim 9 wherein the file also contains the policy.

Attorney's Docket No.:10559-299001/P9310

13. (Original) A method, comprising:

storing a network policy for configuring a network system according to a first schema;

storing a specification for translating the network policy from the first schema to a second different schema;

translating the network policy into the second different schema based on the specification; and

sending the translated network policy to a client computer.

14. (Original) The method of claim 13, further comprising: prior to translating the network policy:

sending the network policy to the client computer;
sending the specification for translating the network
policy to the client computer; and

receiving an indication that the client computer cannot translate the network policy.

- 15. (Original) The method of claim 13 wherein the network policy is represented in extensible Markup Language and the specification is represented in extensible Stylesheet Language.
 - 16. (Original) The method of claim 13 wherein the network policy and the specification are stored in one file.

Attorney's Docket No.:10559-299001/P9310

17. (Original) An article comprising a computer-readable medium which stores computer-executable instructions for checking events performed by a device, the instructions causing a machine to:

store a network policy for configuring a network system according to a first schema;

store a specification for translating the network policy from the first schema to a second different schema;

translate the network policy into the second different schema based on the specification; and

send the translated network policy to a client computer.

18. (Original) The article of claim 17, wherein the instructions further cause the machine to:

prior to translating the network policy:

send the network policy to the client computer;
send the specification for translating the network
policy to the client computer; and

receive an indication that the client computer cannot translate the network policy.

Attorney's Docker No.:10559-299001/P9310

- 19. (Original) The article of claim 17 wherein the network policy is represented in eXtensible Markup Language and the specification is represented in eXtensible Stylesheet Language.
- 20. (Original) The article of claim 17 wherein the network policy and the specification are stored in one file.
 - 21. (Original) An apparatus comprising:
 - a memory which stores computer readable instructions;
- a processor which executes the computer readable instructions to:

store a network policy for configuring a network system according to a first schema;

store a specification for translating the network policy from the first schema to a second different schema;

translate the network policy into the second different schema based on the specification; and

send the translated network policy to a client computer.

22. (Original) The apparatus of claim 21 wherein, prior to translating the network policy, the processor executes the instructions to:

Attorney's Docket No.:10559-299001/P9310

send the network policy to the client computer;

send the specification for translating the network policy to the client computer; and

receive an indication that the client computer cannot translate the network policy.

- 23. (Original) The apparatus of claim 21 wherein the network policy is represented in eXtensible Markup Language and the specification is represented in eXtensible Stylesheet Language.
- 24. (Original) The apparatus of claim 21 wherein the network policy and the specification are stored in one file.
- 25. (Original) A method of configuring a network comprising:

transmitting a network policy according to a first schema and a specification for translating the network policy from the first schema to a second different schema from a server;

receiving the network policy and the specification on a first client computer;

Attorney's Docket No.:10559-299001/P9310

translating on the client computer the network policy from the first schema to the second different schema using the specification; and

configuring the network system on the first client computer using on the translated network policy.

26. (Original) The method of claim 25 further comprising: receiving the network policy on a second client computer; and

configuring the network system on the second client computer using on the network policy.

27. (Original) The method of claim 25 further comprising: receiving the network policy on a third client computer; transmitting to the server an indication that the third client computer cannot translate the network policy;

translating on the server the network policy from the first schema to the second different schema using the specification; and

transmitting the translated network policy to the third client computer.

Attorney's Docket No.:10559-299001/P9310

- 28. (Original) The method of claim 27 wherein the network policy is represented in extensible Markup Language and the specification is represented in extensible Stylesheet Language.
- 29. (Original) The method of claim 27 wherein the network policy and the specification are contained in one file.
- 30. (Withdrawn) A method of creating a file for configuring a network system comprising:

adding network data to the file; and

adding a specification for translating the network data from a first schema to a second schema.